

The Low Voltage Directive (LVD) 2014/35/EU, Electromagnetic Compatibility (EMC) Directive 2014/30/EU, Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX) and Directive (RoHS) 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

### a) The manufacturer

Dinel, s.r.o.  
U Tescomy 249  
760 01 Zlín, Czech Republic

ID: 63476886  
VAT: CZ63476886  
web: www.dinel.cz

Tel.: +420 577 002 001  
E-mail: dinel@dinel.cz

### b) The Products Covered by this Declaration

#### Capacitive level switch

DLS-27Xd-\_\_-D-\_\_-\_\_

### c) Product brief

Capacitive level switch DLS-27Xd is an electrical apparatus intended to be used in area where combustible dust is present.

### d) The Basis on which Conformity is being Declared

Intrinsic safety: EN 60079-0:2012  
EN 60079-11:2012  
EN 60079-31:2014

Electromagnetic compatibility: EN 55022-class B  
EN 61326-1  
EN 61000-4-2  
EN 61000-4-3  
EN 61000-4-4  
EN 61000-4-5  
EN 61000-4-6

### e) Details of accredited person


Intrinsic safety:

Notified Body No. NB 1026, FTZÚ (Physical-Technical Testing Institute), Pikartská 1337/7, 716 07 Ostrava-Radvanice, Czech Republic.  
EC-Type Examination Certificate No. FTZÚ 10 ATEX 0092X from 22.4. 2010.

Electromagnetic compatibility:

Accredited testing laboratory No. 1032, Mesit QM, spol. s.r.o., Sokolovská 573, 686 01 Uherské Hradiště, Czech Republic, ID: 47910381.  
EMC protocol No. 3665/0 from 11.12. 2000.

### f) Special conditions for safe use

 II 1/2D Ex ia/tb [ia] IIIC T78°C Da/Db, ambient temperature range:  $-20^{\circ}\text{C} \leq T_a \leq +70^{\circ}\text{C}$ . The sensor is designed with permanent cable. The cable must be terminated in connection box with degree of protection IP 6X. The cover shell be protected from daylight.

### g) Ensure production quality

Manufacturer's quality management system was found conform with the requirements of EN ISO 9001: 2015. The company is holder of the certificate of quality management system, reg. number CQS 2270/2018 dated 06.12.2018 and valid until 12.10.2021, issued by certification body CQS (IQNet). The certificate is valid for the development, manufacture and sales of electronic components and systems for measurement, control and industrial automation.

For products in potentially explosive atmospheres are to quality management system according to ISO 9001 applied special requirements according to EN ISO/IEC 80079-34:2011. The manufacturer got QUALITY ASSURANCE NOTIFICATION No. "FTZÚ 02 ATEX Q 016", issued by the Notified Body NB 1026 FTZÚ Ostrava-Radvanice. The notification is issued for protective systems intended for use in potentially explosive atmospheres acc. to Directive 2014/34/EU. The notice applies to a group of products with the type of explosion protection – Intrinsic safety "i" Protection with enclosure "t" and was issued on the basis of the audit protocol No. FTZÚ 02/ATEX/016 issued on 13.06.2017 and valid until 30.06.2020.

#### **h) Manufacturer confirmation**

The manufacturer identified in paragraph a) of this statement confirms that the properties of the product identified in point b) and c) of this declaration, meet the requirements, concretized in European technical standards identified in paragraph d) of this statement.

The product is under manufacturer's intended use safe. The manufacturer confirms that he has taken actions to ensure conformity of all products put on the market with technical documentation and the basic requirements.

Issued in Zlín, on 13.12.2018

A handwritten signature in blue ink, consisting of several fluid, connected strokes that form a cursive representation of the name Dalibor Štverka.

Ing. Dalibor Štverka, Ph.D.  
*General manager*