

EU DECLARATION OF CONFORMITY



Electromagnetic Compatibility (EMC) Directive 2014/30/EU, Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX) and Directive (RoHS) 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

a) The manufacturer

 Dinel, s.r.o.
 ID:
 63476886
 Tel.:
 +420 577 002 001

 U Tescomy 249
 VAT:
 CZ63476886
 E-mail: dinel@dinel.cz

 760 01 Zlín, Czech Republic
 web:
 www.dinel.cz

b) The Products Covered by this Declaration

Capacitive proximity switch

CPS-24Xi

c) Product brief

Capacitive proximity switch type CPS-24Xi is designed for detection of approach or evaluation of solid objects movement, indication of level state (liquids, granulate, powders) in electric non-conductive vessels and level indicators and for indications of liquids leakage.

d) The Basis on which Conformity is being Declared

Intrinsic safety: EN IEC 60079-0:2018

EN 60079-11:2012

Electromagnetic compatibility: EN 55022:1996 -class B

EN 61326-1:1999 EN 61000-4-2:1997 EN 61000-4-3:1997 EN 61000-4-4:1997 EN 61000-4-6:1997

e) Details of accredited person

Intrinsic safety:

Notified Body No. NB 1026, FTZÚ (Physical-Technical Testing Institute),

Pikartská 1337/7, 716 07 Ostrava-Radvanice, Czech Republic.

EC-Type Examination Certificate No. FTZÚ 02 ATEX 0233X from 21. 8. 2002, Supplement No. 1 from 30. 3. 2006, Supplement No. 2 from 16. 8. 2007, Supplement No. 3 from 16. 8. 2012, Supplement No. 4 from 03. 8. 2017 and Supplement No. 5 from 10. 6. 2022.

Electromagnetic compatibility:

Accredited testing laboratory No. 1032, Mesit QM, spol. s r.o,

Sokolovská 573, 686 01 Uherské Hradiště, Czech Republic ID: 47910381.

EMC protocol No. 3655/01 from 1. 8. 2001.

f) Special conditions for safe use

(a) II **1G Ex ia IIC T6 Ga**, the apparatus is designed to be connected with supply unit type NSSU, NDSU and NLCU. If some other approved apparatus is used, its output parameters comply with above mentioned parameters, then it is necessary to include galvanic separation and/or in case of application of apparatus without galvanic separation (Zener safety barriers) it is necessary to provide equipotential equalisation between sensor and point of barrier earthing.

Ambient temperature: -20°C ≤ Ta ≤ +70°C

Intrinsically safe parameters:

Ui = 12 V; Ii = 15 mA; Pi = 45 mW; Ci = 28 nF; Li = 10 μ H

g) Ensure production quality

The manufacturer's quality management system was found to comply with the requirements of EN ISO 9001:2016. The company holds the quality management system certificate, reg. number CQS 2191/2024, dated October 13, 2024, and valid until October 12, 2027, issued by the certification body CQS (IQNet). The certificate is valid for the development, manufacture, and sale of electronic components and systems for measurement, control, and industrial automation.

For products in potentially explosive atmospheres are to quality management system according to ISO 9001 applied special requirements according to EN ISO/IEC 80079-34:2020. The manufacturer got QUALITY ASSURANCE NOTIFICATION No. "FTZÚ 02 ATEX Q 016", issued by the Notified Body NB 1026 FTZÚ Ostrava-Radvanice. The notification is issued for protective systems intended for use in potentially explosive atmospheres acc. to Directive 2014/34/EU. The notice applies to a group of products with the type of explosion protection – Intrinsic safety "i" Protection with enclosure "t" and was issued on the basis of the audit protocol No. FTZÚ 02/ATEXQ/016 issued on 16. 6. 2023 and valid until 30. 6. 2026.

h) Manufacturer confirmation

The manufacturer identified in paragraph a) of this statement confirms that the properties of the product identified in point b) and c) of this declaration, meet the requirements, concretized in European technical standards identified in paragraph d) of this statement.

The product is under manufacturer's intended use safe. The manufacturer confirms that he has taken actions to ensure conformity of all products put on the market with technical documentation and the basic requirements.

Issued in Zlín, on March 1, 2025.

Ing. Dalibor Štverka, Ph.D. General manager